Gro





substance abuse treatment; psychology of terrorism; aggression management; multidisciplinary behavioral healthcare, cultural competency; and mental health disability law.

Training programs are offered by the Department's faculty and staff throughout Florida in the areas of forensics, substance abuse, treatment planning, co-occurring disorders, homelessness, informed consent, civil commitment, and treatment and policy issues in trauma and gender-specific issues.

For copies of this manual or for further information on the Triad Women's Project please contact:

Colleen Clark, Ph.D.
Department of Mental Health Law & Policy
MHC 2732
Florida Mental Health Institute
University of South Florida
Tampa, Florida 33612-3807
813-974-9022
Fax: 813-974-9327
cclark@fmhi.usf.edu

©2003 The Louis de la Parte Florida Mental Health Institute, University of South Florida

This is a publication of the Department of Mental Health Law & Policy of the Louis de la Parte Florida Mental Health Institute which is funded by a grant from the Substance Abuse and Mental Health Services Administration.

As permitted by the Copyd022ra Act,this m

such as, “power” and “powerlessness” the committee reached consensus on principles. In this case it was accomplished by respecting both the AA tradition of admitting powerlessness over a substance and trauma recovery principles of developing ones own sense of personal power.

The services researchers on the committee carefully reviewed the literature. They and the clinicians had been influenced in their work especially by the work of John Briere (1996) and his thoughts on group work with adults molested as children; Maxine Harris (1998) and her colleagues at Community Connections and their work in dealing with trauma issues for women with severe mental illnesses; Evans and Sullivan (1995) and their compassionate work combining their experience with addictions and trauma; and finally for the clinically effective and well demonstrated work of Marsha Linehan (1993) on training people with borderline personality disorder in cognitive behavioral skills.

One of the primary hypotheses underlying this project is that integrated treatment for mental health disorders, substance abuse, and trauma will be more effective than treatment that addresses these problems separately.

Existing integrated group interventions described in the literature have focused on trauma and addiction, or trauma and mental health; but our committee did not uncover group interventions that addressed all three issues simultaneously.

TARGET POPULATION

The Triad Women’s Group was developed for women who have experienced violence and have both substance abuse and mental health problems. The group might not be appropriate for women that have never been the victims of violence or abuse either as children or adults.

In terms of the timing of participation in the group, once the most immediate issues for women in treatment have been met, this group has been shown to be appropriate. Issues that may need to be addressed first include an acute psychotic episode, medical detoxification or stabilization from an acute psychotic episode. The group then addresses all issues in an integrated fashion, so it is not necessary to “treat the substance abuse first” or for women to be completely stabilized psychiatrically before beginning group.

The groups are designed to be effective for women with a wide range of problems including thought disorders, mood disorders, personality disorders, substance-related disorders, post traumatic stress disorder, and other anxiety disorders.

Understanding the role of psychotropic medications, the nature of symptoms, and possible reactions to medications are important goals for the group. Facilitators will need to accurately identify all types of mental health symptoms

members to listen for their input. If a member cannot stay in a group due to symptoms, try the person at another time when they may be more stabilized on medications. On occasion, however, facilitators have discontinued participation by some members. For instance, one member continually kept talking over other memb

Note: Instructions for facilitators are bulleted, and material to be read aloud or paraphrased is *italicized.*

WELCOME

INTRODUCTIONS AND WELCOME

Creating Safety

The first session is critical in the process of creating a welcoming and safe environment for members. Facilitators must give priority attention to the safety of members within and outside the group. Location of the group may be a matter of safety for some members as members in violent relationships may feel unsafe going to a building where they may be identified. Others may fear loss of confidentiality or stigma.

d

Members must feel safe in-group to feel sufficiently em

Phase I: Mindfulness
Getting Comfortable with Yourself

INTRODUCTION TO PHASE I: MINDFULNESS

Phase I focuses on getting comfortable with ourselves. We will discuss how the concepts of recovery, empowerment, and survival apply to Triad issues. We will talk about making choices for personal safety; learn how the mind, body and emotions work together; and explore ideas about what it means to be female.

Chapter 1: EMPOWERMENT—BUILDING SAFETY

Fred Fearday

SESSION OUTLINE

RATIONALE

EXERCISES

1. *Crisis Numbers*. Members write on index cards examples of Triad-related emergencies and phone numbers that they can call for help.
2. *Safe Responses*. Members are given Handout 1b (Self-Soothing), on which they will complete a practice situation in-group and then list safe ways they will respond to 3 situations during the next week. They track what they did, how effective it was, and then report the results during the next session.

SUPPLIES

Chalkboard or equivalent, index cards, pencils or pens, Handouts 1a (Triad Women's Group Curriculum), 1b (Self-Soothing) and 1c (Personalized Safety Plan)

RECOVERY

Question 1: ***What does recovery mean to you?***

Â List the responses on a chalkboard or equivalent. Write down *all* of the responses without judging them. If necessary, use the Typical Responses list to prompt the women for more answers.

Typical Responses	
Change lifestyle	*Peace of mind*
Stop using	*Honesty*
Build self-esteem	*Ignore peer pressure*
Learn more about myself	*Working 12 steps*
No relapsing	*Make better choices*
Take medications	*Go to support group*

Â Read the Triad Women's Project's definition of recovery:

TRIAD DEFINITION OF RECOVERY: *A personal journey in pursuit of wholeness: living in harmony with others, assuming personal responsibility, achieving a sense of purpose, hope for the future, and peace of mind. Recovery is a lifelong process of discovery that involves a potential for relapse.*

Can anyone add anything to this definition?

EMPOW

Question 2: ***What are some feelings of being empowered and feelings of being powerless?***

Â Make two columns on the board: “Feelings when empowered” and “Feelings when helpless or powerless.” Ask -0.0011 Tw 12 098 l551.1iW781.24l8e0.0011 Tw 12 098223Feelings s

SAFETY

Question 5*: Who are some safe (or safer) people in your lives?*

Typical Responses	
Friend	*Family member*
Partner	*Clergy*
Crisis line	*Case manager*
AA or NA sponsor	*Neighbor*

Question 6: *What are some safe (or safer) places in your lives?*

Typical Responses	
Relative's house	*Support groups*
Churches, synagogues, etc.	*Coffee shops*
Libraries	*Drop-in centers*
Stores or malls	*A safe room or spot in my house*
Parks	*Domestic violence shelters*
Driving around in the car	*Workplaces*
AA or NA meeting	*A safe place in my mind*

Some of you may be in unsafe situations now and may need to prepare a safety plan in case further violence happens. I will hand out a safety plan at the end of the group. Look it over. It can give you some ideas for your own safety plan. You can ask your counselor questions about the plan or bring questions to our next group.

EXERCISE 1: Crisis Numbers

- Â Pass out index cards and pencils. Ask members what they think would be a mental health or substance use emergency. Write their answers on the board.
- Â Ask members to write on their cards the names and phone numbers of people and places they can call in mental-health, domestic violence, or substance-use emergencies.
- Â Tell members that if they don't know the phone numbers to write down the names and look up the phone numbers by next week.
- Â Copy your own list of local emergency numbers on the board and ask the members to copy those they think they might need.
- Â Ask if any members want to tell the others about a good place to call.

BUILDING EMOTIONAL AND PHYSICAL SAFETY

Yes, we can find new ways to deal with difficult situations. We can also develop habits that keep us emotionally and physically safe. We'll talk more about these in later sessions, but think about routines that promote health and well-being. Some of these are

Eating nutritiously,

Getting enough rest,

Structuring time,

Taking prescribed medications,

Always getting help for physical and mental health problems.

EXERCISE 2: Safe Responses

Â Pass out **Handout 1b** (Self-Soothing**).**

Imagine a difficult situation and how you would feel during it. What would you do to calm or soothe yourself? How effective would it be? What would be some good or bad consequences? Write all this in the Practice Situation column.

Â Look at each member's handout and make sure the members understand what is expected.
Over 5l 0 12 277.24771 439.80002 Tm(a)Tn yo77 494.94012 Tm(te we,)2-02 Tm(m)Tj12 0 7l and mental he

y

i

ff__I can call my co 1 0 0 1 72 708.9551.56 0 :i0 0 12 72 7080 95516p6.27994o1997l9894o1997l9894o1997l9894

HANDOUT 1c (cont.)

Attorney: _____
Schools: _____
Daycares: _____
Doctor: _____
Mental Health Center/Counselor:
_____
Detox/Outpatient Substance Abuse Center/Counselor:
_____
Friend(s):
_____
Family member(s):
_____
Other: _____
_____
_____

Adapted from: National Domestic Violence Hotline. (2000). *Personalized safety plan.* Austin, TX: Author.


Fssio.64



Phase I: Mindfulness
Getting Comfortable with Yourself

Chapter 3: HOW MIND AND EMOTIONS WORK TOGETHER

Margo Fleisher-Bond

SESSION OUTLINE

RATIONALE

In this session it is shown how feelings are caused by thoughts and how current negative thinking stems from past experiences of trauma, drug-related problems, and mental illness. Women learn to manage their emotions by attending to their thoughts and selecting new, rational perceptions to replace old, erroneous thoughts based on negative events.

INTRODUCTION

Start each group session with a brief review of the members' current issues. Specifically focus on women with safety and/or emergency issues. Review members' emergency crisis numbers and members' Personalized Safety Plans.

In our last session we talked about different emotions and about accepting how natural it is to feel all of these emotions. We ended with a breathing exercise to learn more about how our actions and physical sensations affect our emotions. Today we are going to learn how our thoughts cause our feelings.

Question 1*: Where do your feelings come from?*

Â Ask members to contribute and write the responses on the board.

Typical Responses

- On the board, write an example, either the one below or one based

HANDOUT 3: EVENT-THOUGHT-FEELING WORKSHEET

1	**EVENT** *Describe an event that happened in the last 24 hours.*	**THOUGHT** *Describe your thought(s) about that event.*	**FEELING** *Describe your feeling(s) after your thoughts about the event.*	**NEW THOUGHT/ FEELING** *Give an example of some different thought(s) and the feeling(s) that would follow.*
2	**EVENT** *Describe an event*			

Question 2: ***What do people think about females and males in your culture?***

Typical Responses	
Female	**Male**
Women are unable to take care of themselves even though they are supposed to take care of the children.	*Men are the strong protectors and should make all of the decisions.*
Girls should be gentle and sweet.	*Boys can be aggressive and mean.*
Women are men's sexual toys.	*Men need a lot of sex.*
Girls are more verbal and like to talk.	*Boys are better at math and science.*
Girls and women are supposed to act and look a certain way.	*Men are supposed to act and look a certain way but not as much as girls and women.*

Question 3*: What thoughts do you have about your body?*

Typical Responses			
Positive		***Negative***	
Attractive	*Strong*	*Shame*	*Betrayed*
Healthy	*Sexy*	*Dirty*	*Guilt*
Nice hair	*Life-giving*	*Overweight*	*Disgusted*

Discussion Questions:

Does your culture overvalue a woman's attractiveness and undervalue her personality and abilities? (Walker, 1994, p. 434; Mangweth, Pope & Hudson, 1995)

Do you think that women who have been sexually abused often make themselves unattractive in order to avoid sex—for example, gain too much weight and lose too much weight?

What are some things women do when they have a poor body image? (munching on unhealthy foods, binge eating, noo when they have a079e themselv79e

EXERCISE

Role-Playing Communication Styles. Group members role-play passive, assertive, and aggressive communication styles, with coaching from the facilitators and other group members.

SUPPLIES

Chalkboard, Handouts 5a and 5b

FORMS OF COMMUNICATION

There are 2 forms of communication: verbal and nonverbal.

Question 1: ***What is verbal communication?***
Verbal communication is spoken, written, or symbolic language (such as sign language).

Question 2: ***What is nonverbal communication?***
Nonverbal communication is everything else used to express a want, need, idea, or emotion.

Typical Responses	
Non-vocal sounds (whistles, yawns)	*Use of space*
Facial expressions	*Volume of voice*
Body positioning	*Tone of voice*
Gestures	*Posture*
Touching	*Ways of dressing*
Hairstyle	*Eye contact*
Way of walking	*"Attitude"*

Discussion Questions:

Is the passive style used more by women than by men?

Is this different for different cultures?

Passive communication is best used when someone has a lot more power than you have or is likely to hurt you. Sometimes it is in our best interest to respond passively. Can anyone give an example? (in court, when someone has a weapon, etc.)

Passive communication may be a primary style in an abusive fami 0 4in cAelion mship. Whys

GOALS IN SITUATIONS

Â Pass out **Handout 5a** (Goals in Situations).

To get what we want it is necessary to know what we want—that is, to understand our goals. In terms of dealing with others there are at least three kinds of goals (Linehan, 1993):

1. ***Objective goals****—what concrete results you want from an interaction*
2. ***Relationship goals—****getting or keeping a good relationship*
3. ***Self-respect goals****—keeping or improving self-respect and liking yourself*

Â Read the following examples:

Your landlord unfairly keeps your security deposit.

1. ***Objective goal****—get your deposit back (most important).*
2. ***Relationship goal****—keep the landlord's goodwill to get a reference for another apartment.*
3. ***Self-respect goal****—don't give in or get overly emotional.*

Your best friend wants to come over to talk about a problem, but you want to go to bed.

1. ***Objective goal****—go to bed.*
2. ***Relationship goal****—keep your good relationship with your friend.*
3. ***Self-respect goal****—balance caring for your friend with caring for yourself.*

A friend may ask you on a date, and you think your friend may expect sex.

1. ***Objective goal****—to have a pleasant evening.*
2. ***Relationship goal****—to keep our friendship.*
3. ***Self-respect goal****—to keep my values by not having sex before I want to.*

Â Have group members think of additional situations and identify the objective, relationship, and self-respect goals.

HANDOUT 5b: COMMUNICATIONS WORKSHEET

	SITUATION Describe an **event** in the last 24 hours, what you **thought** about it, and how you **felt** about it.	**COMMUNICATION** Describe what you communicated and how you did so (verbal, nonverbal, assertive, aggressive, passive, etc.)	**RESULT** Did you get what you wanted? How did you **feel**?
1			

INTRODUCTION

Start each group session with a brief review of the members' current issues. Specifically focus on women with safety and/or emergency issues. Review members' emergency crisis numbers and members' Personalized Safety Plans.

Last week we talked about communicating our wants and needs assertively. (Review the **Communications Worksheets**. **(Handout 5b**). Ask if any members are willing to share a situation they worked on during the week or a situation from the last 24 hours they would be willing to work on.

This week we'll talk about intimate relationships and when and when not to trust. Some people are able to use the assertiveness skills we talked about last week with strangers but not with friends. We will also talk about balancing objective, relationship, and self-respect and how to keep relationships in balance.

TRUST

Question 1: ***What kinds of behaviors create trust, mutual give-and-take, and safety?***

Typical Responses*
When someone doesn't give other people private information about you
When someone accepts me the way I am
When I am there for them and they are there for me
When boundaries are respected
When someone does not try to hurt me or take advantage of me
When someone really listens to me
When people make a real commitment to one another
Mutual respect
**Adapted from Harris, 1998, p.62.*

Â Ask for specific behaviors that show constancy, predictability, knowing someone, and sharing, as shown below (adapted from Harris, 1998, p. 64).

Constancy *(steadiness, reliability, and dependability) over time—having someone do what they say they will; knowing that you are getting the real story.*

Typical Responses
She always returns everything she has borrowed.
My mother always calls once a week.
My sister always calls when she is going to be late.

Question 3: ***How have substance abuse and other harmful behaviors interfered with trust?***

Typical Responses
When people are using they are not dependable. *When people use drugs or alcohol, their judgment is off.* *When people are using you cannot tell what they will do.* *When people are using they take and don't give back.* *When people are craving they will do anything for drugs.* *When I use I act differently around my friends.* *When I use I do things sexually that I later regret.* *When I use I get depressed and sometimes want to hurt myself.* *When I use I stop taking my medications for my voices.*

Question 4: ***How have mental illnesses interfered with our relationships with other people?***

Typical Responses
With my mental illness I get paranoid of people and do not trust them. *When I have been manic I used bad judgment and spent a lot of money my family needed.* *People feel they cannot rely on me.* *I don't think I have much to offer someone in a relationship.* *I act pretty inconsistently. Sometimes I am friendly and the next day I don't want to talk to anyone.*

EXERCISE 1: Keeping Relationships in Balance

It is difficult to achieve balance in relationships. Let's review the Handout 5a from last week on ***Goals in Situations****. What happens when there is a conflict between your self-respect goals and your relationship goals?*

Â Ask for examples and give some if needed. Examples:

~ Someone says, "You must prove you are my friend by using with me."

~ Your friend really wants to talk about herself and you are tired and want to get home.

~ Your best friend expresses political ideas that you strongly disagree.

~ A friend from AA tells you that taking psychiatric medications of any kind is just wrong.

Some women may be quite good at saying no to strangers but not to friends; others may be able to ask for help from their friends but not from their bosses.

- Pass out **Handout 6a** (Interpersonal Mastery and Self-Respect).
- Draw a line down the middle of the board. Ask members to list **others' demands and shoulds** on one-side and **their own priorities and wants** on the other side (Linehan, 1993).

Demands *are those things other people insist you do.*

Shoulds *are those things you think you ought to do for other people.*

Priorities *are those things important to you that need to get done soon.*

INTIMACY

Question 6: ***What is intimacy?***

Typical Responses*	
Sex	*Emotional connection*
Passion	*Relationship with sex partner*
Closeness	*Understanding*
Trust	

*Adapted from Harris, 1998, p. 63

Question 7: ***What is necessary for closeness (intimacy) to occur?***

Typical Responses	
Trust	*Rapport*
Listening and being heard	*Confidentiali94 588.35986 Tm(Trust)Tjent48r7 507.78 0*
Understanding	
Honesty	



Phase II Interpersonal Skills
Healthy Relationships

Chapter 7: BOUNDARIES
Carol Parker

SESSION OUTLINE

RATIONALE

This session identifies emotional and physical boundaries used to protect personal space. Members may not have developed skills for dealing with intrusive or disrespectful contact. This session establishes the need and right a woman has to set boundaries with others and have them respected. The group will explore the meaning of personal space and how it changes according to the level of comfort, intimacy, or safety with the other person.

GOALS

1. Members will learn about personal boundaries and how to set them based on their own needs rather than the needs of others.
2. Members will understand the importance of setting boundaries and learn which behaviors maintain or violate boundaries.

QUESTIONS

1. *What is personal space?*
2. *How do you feel when people touch you or stand too close to you when you don't want them to?*
3. *What kinds of signals (body language or other nonverbal communication) tell others that a boundary has been crossed?*
4. *Does anyone you know violate the boundaries you make for yourself?*

EXERCISES

1. *Closeness and Nonverbal Communication.* Members observe nonverbal communications as they stand closer and closer to each other. The distance at which they still feel comfortable is measured with a measuring tape.
2. *Setting Emotional Boundaries.* The facilitator reads aloud examples of behavior and the group members categorize each behavior as either "setting emotional boundaries" or "not setting emotional boundaries."

SUPPLIES

Chalkboard or equivalent, measuring tape, extra copies of Handout 5a

INTRODUCTION

Start each group session with a brief review of the members' current issues. Specifically focus on women with safety and/or emergency issues. Review members' emergency crisis numbers and members' Personalized Safety Plans.

Last week we talked about trust and intimacy. This week we're going to talk about an important part of relationships that is often overlooked: personal boundaries.

Question 1: ***What is personal space?***

Typical Responses

It's where I go to be alone where no one can mess with me.
It's the space I need so I don't feel crowded or unsafe.
It's like a bubble around me. I only let in people I trust.
What space? I don't get any personal space.
It's my bedroom or the bathroom.

How much space would you need in order to feel comfortable or safe in the following situations?

- ~ *riding a bus;*
- ~ *having a neighbor give you a ride in her car? (What if the driver is a male?);*
- ~ *having someone sit next to you in a movie theater;*
- ~ *a stranger walking up to you and asking for a cigarette;*
- ~ *someone you don't trust passing you on the street.*

EXERCISE 1: Closeness and Nonverbal Communication

Â Ask participants to make groups of three. Two of the members will stand 5 to 6 feet away from each other and then gradually step closer together. The third person remains stationary and watches for nonverbal clues that one or both of the other members are becoming uncomfortable with the closeness. Everyone will switch places until each member gets a turn at being the evaluator.

Can you think of any cultural differences in personal boundaries? For example, in some cultures it's comfortable for people to stand only a foot away from each other when having a casual conversation. Americans, on the other hand, usually feel comfortable when they are at least two feet apart.

Discussion Questions:

Can you think of any <u>other</u> cultural differences in personal boundaries?

How does your comfort level change when you are angry or depressed?

How about when you have had an argument with your boyfriend or girlfriend?

Does he or she respect your need for less intimacy and more space when you are angry?

Is it difficult to set new boundaries of personal space when someone is used to your old boundaries?

Have you eve-0.00011 a15r555.23999 751.79999 at

SETTING EMOTIONAL BOUNDARIES

We have been talking about setting and maintaining physical boundaries. Now let's talk about psychological or ***emotional boundaries****. In the* ***Goals in Situations*** *handout from Chapter 5 we went over objective goals, relationship goals, and self-respect goals. Our self-respect goals can be maintained2mb02 Tcbout psycholog*



INTRODUCTION

Start each group session with a brief review of the members' current issues. Specifically focus on women with safety and/or emergency issues. Review members' emergency crisis numbers and members' Personalized Safety Plans.

In the past few weeks, you have been working on understanding yourself better and understanding your relationships with others. Last week we asked you to think about one particular relationship and notice where you set your boundaries. Does anyone want to tell us what you discovered?

Now we are going to look at <u>all</u> of the relationships you have—everyone you have contact with. Anyone who gives you any kind of support is part of your <u>social support network</u>.

Question 1: ***Who are members of your support network?***

Typical Responses	
Sister	*People at church, synagogue, etc.*
Mother	*Members of this group*
My friend	*AA or NA*
Neighbor	*Counselor*
My sponsor	*Daycare center*
Parents	*Drop-in center friends*
My partner	*Doctor*
My boss	*People at work*

Â Some group members who are new to recovery may have *constricted* social networks. Those members who have more time in recovery have probably been able to expand their social supports. At first, we want to identify *all* current social supports without judging if those persons support recovery. Probe for informal support systems by asking whom members spend their time with.

Question 2: ***How do people make recovery hard for you?***

Typical Responses
People talk about using in front of me.
My mother always criticizes me.
My partner keeps putting me down.
I have no one to watch the kids when I need to go to AA.
I don't have a car and have to ask others to take me places.
My boss doesn't understand when I get emotional.
I have no insurance to cover my medications.

Sometimes people in our lives are not giving us what we need for recovery and we may need to find more supportive people.

Phase III: Emotional Regulation
Feeling Good

INTRODUCTs0.65997 l5NTRODUC369.0025 Tw 13.98 0/0002 l1996 l52745.8574800

Phase III: Emotional Regulation
Feeling Good

Chapter 10: SELF-ESTEEM
George Thomas

SESSION OUTLINE

RATIONALE

Self-esteem is one of the mo

INTRODUCTION

Start each group session with a brief review of the members' current issues. Specifically focus on women with safety and/or emergency issues. Review members' emergency crisis numbers and members' Personalized Safety Plans.

Last week we talked about controlling cravings and urges and thought of new ways to cope with life as we continue to feel good. Did anyone come up with some new ideas for taking care of yourself since last week? If you used any of the new ways to cope, you can pat yourself on the back. Patting yourself on the back for trying new ways to cope will help build your self-esteem, which is what we will talk about this week.

Question 1: ***What does it mean to have healthy self-esteem?***

Question 7: ***What have people said or done to you that threatened your self-esteem?***

Typical Responses
They abused me. *They called me names. They001 677.5 Tc -0.00031 Tw*

The threat is not so much a threat as an opportunity for you to try new coping methods and prove to yourself that you can control how much events and people effect your self-esteem.

STEP 6: Adding up your points

*The last thing to do is **count up all of your plusses**—and don't forget that each double plus card equals two plusses. You also have to **subtract the minuses**. This is your final score for today*
.

To play this game every day, just notice the things that threaten and increase your self-esteem. Use the things that increase your self-esteem to add to your pile of plus cards every week. Use the things that threaten your self-esteem to make more minus cards. Every time you identify a block that has worked in the past or you honestly think it will work in the future, write the block

Phase III: Emotional Regulation
Feeling Good

Chapter 11: SELF-SOOTHING

Margo Fleisher-Bond and Sharon Slavin

SESSION OUTLINE

RATIONALE

Women with Triad issues tend to be ambivalent about self-care. One of the most damaging effects of abuse, addiction, and mental illness is the tendency to continue patterns of self-care that were learned as basic survival techniques in response to abuse, mental health symptoms, or while using substances. Some of these patterns may have been learned from others, such as an abuser. The abuse survivor may harm herself rath

INTRODUCTION

Start each group session with a brief review of the members' current issues. Specifically focus on women with safety and/or emergency issues. Review members' emergency crisis numbers and members' Personalized Safety Plans.

In the last couple of weeks we have been

Question 5: ***What have you done in the past that was self-soothing but not harmful?***

Typical Responses		
Took a walk	*Meditated*	*Stayed home, took a nap*
Exercised	*Danced at home*	*Did a crossword puzzle*
Called a friend	*Wrote in my journal*	*Called my sponsor*
Went to a meeting	*Played with my cat*	*Sat down for my meal*
Straightened up the house	*Gave myself a mental hug*	*Thought about my accomplishments and successes*
Prayed	*Asked for a hug*	

Question 6: ***When you fall back into old habits, how do you get back into recovery?***

Typical Responses	
I say it is not a crisis.	*I forgive myself.*
I get help right away.	*I have a sense of humor.*
I coach myself that slips happen.	*I organize my priorities better.*
I get involved in a good cause.	*I pray for help and forgiveness.*
I try to hang around with people who support my recovery.	*I let myself get so sick that I have to go to the hospital.*
I give myself a pep talk.	*I read something that inspires me.*
I try to be less hard on myself.	

Old habits are hard to break. There is a great temptation to continue our old behaviors once we have slipped. This can mean slips in substance abuse, self-hatred, refusing to take medications, and other harmful things. It is important that we learn to refocus ourselves through self-soothing and self-care so we will be less vulnerable to old habits.

EXERCISE: Strategy List

Â Have the members write on index cards specific ways to deal with problems and desires for self-destructive behaviors.

Typical Index Card		
Problem	**Action Solution**	**Thought Solution**
I feel depressed.	*Light candles and take a bath.*	*"This too shall pass."*

INTRODUCTION

Start each group session with a brief review of the members' current issues. Specifically focus on women with safety and/or emergency issues. Review members' emergency crisis numbers and members' Personalized Safety Plans.

Last week we talked a great deal about self-soothing and taking care of ourselves. Did you use

What do you think she means by complete acceptance from deep within?

Typical Responses	
Seeing reality	*Finding truth*
Acknowledgement	*Honestly letting go*
Recognition	*Deep understanding*

Dr. Linehan also says that suffering is the combination of pain plus not accepting the pain. What do you think she means by that?

EXERCISE: The Purple Room

Imagine that you are in a purple room and that you hate the color purple (Linehan, 1993, p. 102). *You refuse to acknowledge that you hate purple, or accept that the room is painted purple. Will you ever make the effort to get a different color of paint and paint the room a color that pleases you? Or will you just ignore the purple?*

Can anyone give an example of something that happened in her life like the purple room?

How is being in a purple room like being an addict?

How is it like having a mental illness?

How is it like the consequences of trauma?

Â Pass out **Handout 12** ("Serenity Prayer").

HANDOUT 12
"SERENITY PRAYER"

God, grant me the serenity
To accept the things I cannot change,
Courage to change the things I can,
And wisdom to know the difference.

Author unknown, sometimes attributed to Reinhold Niebuhr

Phase IV: Distress Tolerance
Staying Healthy in Stressful World

INTRODUCTION TO PHASE IV: STAYING HEALTHY IN A STRESSFUL WORLD

This is the beginning of the fourth phase of groups. So far we've worked on knowing ourselves better, making healthier relationships, and on coping with painful and difficult aspects of ourselves as we make progress in recovery. This phase now takes the knowledge and skills we have learned and talks about applying them to the real world—a world full of joy and pain and often very stressful.

If new people are joining for Phase IV, review the safety rules of Chapter 1 and reinforce the need for confidentiality.

EXERCISE

Describing a Problem to Others. Members form pairs, acting as interviewers and interviewees, and take turns describing a problem to the other member.

SUPPLIES

Chalkboard or equivalent, extra copies of the *Workbook for Success*

INTRODUCTION

Problem solving is related to goal-setting because we often set goals of overcoming problems we face, for example, not having custody of our children or not having enough money or friends. Hand out copies of **Workbook for Success** (Appendix G). Give members a few minutes to review the workbook. *The **Workbook for Success** is a tool for helping you write a plan for reaching your goals. Later in this group we will talk about some of the problem-solving skills in the book.*

In earlier groups you have described your thoughts and feelings during a difficult situation, tried a self-soothing strategy, and evaluated how well it worked. We have also talked about being aware of our thoughts, feelings, and behaviors. This self-monitoring can help us recognize problems more quickly.

Question 1: ***How can we become more aware of changes in our thoughts, feelings, and behaviors?***

Here are some ways:

1. *Set aside time to think about how the day or week went (because some people spend too much time thinking about their problems, it is important to set a time limit to this);*

2. *Ask people you trust to tell you if they notice changes in your behavior;*

3. *Keep a journal or diary;*

4. *Keep a detailed record of thoughts, feelings, and behaviors—for example, rate how much anxiety you felt during the day on a scale of 1 to 10, record the frequency of urges to self-harm and note the place and time of day.*

Question 2: ***How can being more aware help us solve problems?***

1. *We'll detect problems before they get worse. We look for warning signs that a problem we have is about to get worse—anxiety, depression, excessive anger; mania; disorganized thinking; cravings for drugs or alcohol; flashbacks of traumatic experiences, etc.*

2. *<u>We'll understand the problems.</u> Self-monitoring can help us learn when, where, and under what circumstances problems occur.*

3. *<u>We'll learn to evaluate different solutions</u>. Self-monitoring can help detect small improvements that indicate a strategy is working.*

Question 3*: When you have a problem, what steps do you take to find the best solution?*

[redacted]

INTRODUCTION

Start each group session with a brief review of the members' current issues. Specifically focus on women with safety and/or emergency issues. Review members' emergency crisis numbers and members' Personalized Safety Plans.

Who wants to talk about problems they encountered during the last week? What strategies did you use to overcome them? Does anyone want to offer a suggestion or talk about a problem you encountered? Did anyone have a chance to use the ***Workbook for Success****?*

This week we are going to go a little further in looking at power in relationships, especially the use of violence. First let's talk about the different kinds of violence and abuse.

Question 1: ***What is physical violence or abuse?***

Typical Responses	
A pattern of using physical violence for power and control	*Getting disciplined with something like a hanger, brush, or shoe*
Hitting, biting, strangling, stabbing, shooting, etc.	*Giving someone broken bones or bruises*
Having things thrown at me	*Having my mouth washed out with soap*
Being hit with a bat or a belt	*Being hit over and over again*
	Being told how he/she is going to hurt me

Question 2: ***What is emotional abuse?***

Typical Responses	
Being called names or insulted	*My boyfriend threatening me a lot*
Being criticized all the time	*Threatening to take the children away*
Being neglected or ignored all the time by my parents	*Being told that I was ugly and not wanted*
My boyfriend always wanting to	

Question 6: ***How do physical violence, sexual abuse, and emotional abuse affect your mental health?***

Typical Responses	
I feel worthless.	*I want to escape with drugs.*
I feel like my feelings and needs don't matter.	*I feel anger that I am afraid I cannot control.*
I feel used.	*I cry a lot.*
Sometimes I just hate life.	*Sometimes I hate myself.*
I feel like I am going crazy.	*Sometimes I hate others.*
I feel weak and stupid.	*I feel helpless.*
I feel jumpy and scared a lot.	*I just want to die.*
Sometimes I feel paranoid that bad things will happen.	*I have a lot of doubts about myself.*

Discussion Question:

How does violence affect your intimate relationships?

Typical Responses
It is hard for me to trust my partner in a relationship. *I feel so needy that I let him walk all over me even more.* *I sometimes use verbal and physical violence too in my relationships.* *It is difficult to enjoy having sex.* *I am afraid that he will take advantage of me.* *It is hard for me to share intimate details about myself because I am afraid they will be used against me later.* *Sometimes I just don't want to have any more intimate relationships.* *I'd rather be alone than get hurt again.* *I keep waiting for that first punch.* *It is hard for me to be assertive about what I need.*

Discussion Question:

Earlier, we talked about healthy relationships in terms of Trust and Intimacy. What makes a healthier relationship in te

HANDOUT 14a:
KINDS OF VIOLENCE AND ABUSE

Violence is the intentional use of physical force or power, threatened or actual, against oneself, another person, or against a group or community. Violence either results in or has a high likelihood of resulting in injury, death, emotional harm, a person being deprived (for example, deprived of a job, food, or access to supports), or a negative impact on one's development.

Physical Violence is the non-accidental causing of physical harm to a child or adult for the purpose of controlling, dominating, intimidating, or manipulating another person. Physical violence can include behaviors such as hitting, kicking, punching, pushing, biting, slapping, strangling, burning, raping, restraining, stabbing, or shooting.

Verbal Abuse is a means of controlling, humiliating or intimidating another through the use of insults, put-downs, shouting, or threatening another with sexual or physical violence.

Emotional Abuse is a continual and repeated pattern of behavior that includes verbal abuse and mental mind games intended to destroy one's self-esteem and confidence for the purpose of controlling and causing another to feel powerless. Emotional abuse can result in emotional instability, intimidation, and victimization. Emotional abuse can be done on purpose or unconsciously. It can also be the withholding of emotional support and love or the shifting of blame or responsibility for abuse onto the victim.

Economic Abuse is the control of the use and availability of money by one person over another. This can include preventing the other from getting or keeping a job, requiring them to ask for money, taking their money, not allowing participation in making decisions about the use of money, or knowing about the family's finances.

Social Abuse is a means to control another by limiting the other person's social activities and relationships with family and friends; controlling what the other person does, who they see or talk to, what they read and where they go; or limiting their freedom to go out or to be involved in their community. Jealousy is often used to justify these actions.

Sexual Abuse is any unwanted sexual touching either directly or through clothing without the person's agreement or consent including not being able to give consent due to mental problems or drug impairment. Sexual abuse may also include denying privacy, forcing sex acts that are not comfortable, and sexual assault. Child sexual abuse includes any sexual act with a child that is performed by an adult or an older child.

Sexual Assault is penetration of the vagina or rectum with the penis (rape) or other body part, penetration of the mouth with the penis, or the touching *of* or *with* intimate or sexual parts, against the person's will or without consent.

HANDOUT 14b:
RELATIONSHIP WHEELS



HANDOUT 14c:

Chapter 15: CRISIS MANAGEMENT AND RECOVERY

Margo Fleisher-Bond and Sharon Slavin

SESSION OUTLINE

RATIONALE

As members increasingly recognize their strengths and gain confidence and skills in relating to others, it is important to talk about how to handle crises that threaten their recovery. This group

INTRODUCTION

Start each group session with a brief review of the members' current issues. Specifically focus on women with safety and/or emergency issues. Review members' emergency crisis numbers and members' Personalized Safety Plans.

As you continue to increase your self-awareness and skills in relationships with others, it is important to talk about how to handle crises that may threaten your recovery. In this group we

[redacted]

Oakland County Domestic Violence Coordinating Council. (2000). *Domestic violence handbook: Definition* [On-line]. Available Internet: http://www.domesticviolence.org/define.html. [2000, July 11].

Okun, L. (1986). *Woman abuse: Facts replacing myths*. Albany: State University of New York Press.

Pope, K. S., & Vasquez, M. J. (1998). *Ethics in psychotherapy and counseling* (2nd ed.). San Francisco: Josey-Bass.

Professional Education Taskforce on Family Violence. (1991). *Family violence: Everybody's business, somebody's life.* Sydney, Australia: Federation Press.

Roe & Jagodinsky. (2000). *The power and control wheel for lesbians and gays*. Austin, TX: Texas Council on Family Violence.

Walker, L. (1994). *Abused women and survivor therapy*. Washington, DC: American Psychological Association.

Women's Issues and Social Empowerment. (16 February 1998) *Domestic violence information manual: Forms of domestic violence* [On-line]. Available Internet: http://www.infoxchange.net.au/wise/DVIM/DVAbuse.htm.

World Health Organization. (1999). *Violence and injury prevention* [On-line]. Available Internet: http://www.who.int/eha/pvi/infokit/forms.htm. [1999, October 25].

- Â Treatment needs to change over time to meet the readiness of women to utilize various types and levels of service.
- Â It may be a useful construct to view women as moving through stages of recovery/empowerment. Stages of recovery/empowerment require different responses from clinicians so that all C/S/R women receive appropriate treatment. Viewing individuals as proceeding through stages assists clinicians and C/S/R women to recognize the ato recogn

Actualization:

- Â Interventions will need to have flexibility built into their designs.
- Â Interventions will require attention to the feedback given by staff members and participants.
- Â fffxibility f

- Various culturally based attitudes and beliefs regarding mental health, substance abuse, and violence need to be well understood by service providers.
- Treatment services in the first language of C/S/R women are of critical importance.
- In order to provide culturally competent services staff will require training to improve their understanding of cultural differences.

Actualization:
- Cultural competency training will be provided to staff.
- Providing services in the first language of the participant will be vigorously pursued.
- Special outreach will be provided to women who are migrant farm workers.
- Bi-lingual, bi-cultural staff will be hired to serve Hispanic women.
- To the extent possible the ethnicity of staff on the Project will resemble that of C/S/R women in the District.

CONFIDENTIALITY

Definition: *to protect the identity and privacy of individuals seeking and receiving services.*

Discussion points:
- The need to protect confidentiality is vital to the success of the project.
- Confidentiality in rural areas is especially important.
- Women still in unsafe environments may suffer violence if their confidentiality is not maintained.
- Women need to feel that the environment is safe in order to engage in treatment. Confidentiality is important for women to feel safe.
- The committee discussed two concerns:
  A) staff seemed to hide behind confidentiality rather that take appropriate steps to involve a woman's support system in her care, and
  B) some staff members inappropriately act as if confidentiality allows them to prevent clients from seeing the client's clinical record.

Actualization:
- Group interventions planned for the project will emphasize the importance of keeping private information disclosed within groups confidential.

APPENDIX B
THE DEVELOPMENT AND COURSE OF CO-OCCURRING DISORDERS AND THE IMPACT OF VIOLENCE

The development and course of co-occurring disorders

Co-occurring disorders refers to the presence of at least one mental health disorder and at least one substance abuse disorder simultaneously in the same individual. The disorders are not symptoms of the other(s) or directly caused by the other disorder(s), although having one disorder increases the chances of having the other. Co-occurring disorders often interrelate with one disorder affecting the development, onset, course, and severity of the other disorder(s). The symptoms of one disorder often exacerbate symptoms of the other disorder(s).

Co-occurring disorders includes a wide range of disorders that differ in their severity, course, and cause. Because of this wide range only general statements about the development and course of co-occurring disorders can be made here. One can make more precise statements when referring to specific disorders.

The development, onset, course, and severity of co-occurring substance abuse and mental health disorders are influenced by a number of biological, psychological, and social factors. These factors interact in a complex way with some being protective and others increasing vulnerability to substance abuse and mental health disorders. Protective factors for a woman might include a nurturing family environment, the absence of congenital susceptibility to substance dependence, and effective social skills. When individuals are exposed to sufficient risk factors not mitigated by protective factors, these disorders result. Some biological, psychological, and social factors *are:*

- Biological: chemical imbalances, biochemical errors of metabolism, congenital predisposition and vulnerabilities, physical illnesses, and prenatal care
- Psychological: personality traits, personal skills and abilities, psychological defenses, psychological supports, social skills, levels of stress, and personal defenses and vulnerabilities
- Social: familial and social environment, external stressors, violence, poverty, racism, gender bias, social support, peer groups, social pressures, and cultural attitudes toward alcohol and other drugs

The impact of violence on the development and course of co-occurring disorders

Violence is widespread in our society and significant in the lives of most people who seek mental health and substance abuse treatment. Yet there is often a failure to recognize the impact of violence on the lives of women and its role in the development and course of psychiatric and substance abuse disorders. Violence is often traumatizing and can affect a woman's perception of the world, her relationships, her cognitive functioning, her vocational choices, her abuse of substances, and her mental health. The impact of violence can be broad and pervasive. The greater the intensity and duration of the violence, the greater the potential for life-long *emotional* problems for survivors of violence. The degree and type of support offered by the environment in

response to the violence has the potential to mitigate or exacerbate the long-term emotional consequences of the violence.

The traumatizing effects of violence on the lives of women are often not recognized by treatment professionals, family, friends, and society. This failure to recognize the impact of violence reinforces messages from abusers and authority figures that women should deny and minimize the impact of violence. A lack of a supportive response to their victimization often leads women to accept undeserved bl

(4) there is a persistent desire or unsuccessful efforts to cut down or control suk45w77.76sse



Trust after Trauma: A guide to relationships for survivors and those who love them. **Author:** Aphrodite Matsakis. **Year:** 1998. **Publisher:** New Harbinger. **Description***: For consumers and providers, this guide explains the effects of trauma on relationships and includes case histories from trauma survivors and many helpful questionnaires and exercises. *Approximate cost: $16.*

WEBSITES:

David Baldwin's Trauma Information Pages. **Web Address:** http://www.trauma-pages.com. **Description:** *The purpose of this site is to provide information for clinicians and researchers in the traumatic-stress field including information about PTSD, easy and detailed reading lists, trauma and disaster articles and resources, a trauma bookstore, trauma web links, and chat and .*



145 N

Narcotics Anonymous. **Author:** Narcotics Anonymous World Service Office **Year:** 1988 (5th Edition). **Publisher:** Author. **Description:** *This volume is intended as a textbook for every addict seeking recovery. It outlines the NA program, personal stories, the Twelve Steps of NA, and the Twelve Traditions of NA. *Approximate cost: $12.*

The Recovery Book. **Authors:** Al J. Mooney, Arlene Eisenberg, and Howard Eisenberg. **Year:** 1992. **Publisher:** Workman. **Description:** *This book offers a roadmap to recovery from alcoholism beginning with the decision to quit and ending with the c0.00 121ending600 1to recovery from12*

APPENDIX F
THE 12 STEPS OF ALCOHOLICS ANONYMOUS

1. We admitted we were powerless ov

STEP QUESTIONS CHART (Instructions)

In the [redacted] QUESTIONS CHART, you'll examine each of the st[redacted]. Write dow[redacted] many ideas[redacted]
as you can think of without w 0 12 540.66 Tm(as yo3g ab Tm(he12 r.0042 Tw 129.08008 Tu76001 l042 Tw 12

STEP QUESTIONS CHART (Example)

WEEKLY GOAL PROGRESS CHART

Goal #			Date begun	
Step 1				
1-week report				
2-week report				
3-week report				
4-week report				
Step 2				
1-week report				
2-week report				
3-week report				
4-week report				
Step 3				

R rjET164.81/CS0 cs 1 1 0 scn59.82001 346.85999 57.400298ef998 2.22 2.222 ref193..30.1BDC 0 61/T

WHAT I LEARNED CHART (Instructions)

IMPROVING YOUR PLAN and PLANNING YOUR NEXT STEPS

Here are some things that might help you improve your plan or plan your next steps:

1. Continue thinking about the best way to reach your goals. You might think of additional steps you can take or better ways to take the steps you've already listed.
2. Get ideas and information about how to reach your goal by talking to other people or reading. Your counselors and friends can help. So can your family members. You can also visit drop-in centers and talk to people there who have goals like yours.
3. For each step that you tried to complete, think about what happened. Were you successful? If not, do you need to find a different way to complete the step? Do you need more information? Do you need assistance? Who can help you?

Space is provided on the blank charts to make detailed plans for reaching your personal goals. The forms may look long, but it's up to you how much time you spend and how quickly you complete them. The idea is to make the best possible plans to reach your goals. When you finish the plan for a goal, you will know what your next steps are. If you want to see more examples, look in the **Help Section** booklet.