



August 2013

would have access to all relevant and effective mental health and substance abuse interventions to blend in an individualized treatment plan.

Treatment planning is a collaborative process that requires an individual and his or her service providers to use assessment information to establish individual goals and to match treatment to identified needs to help the individual reach those goals. Treatment for people with COD is more effective if the same clinician or clinical team helps the individual with both substance abuse and mental illness; that way the individual gets one consistent, integrated message about treatment and recovery (SAMHSA, 2003).

## **Integrated Treatment Programs for Justice-Involved Persons with COD**

When an individual with COD is also under correctional supervision, the coordination of EBPs within each discipline is required to achieve positive outcomes. The appropriate application of coercion within treatment and supervision is one of the adaptations to COD integrated services required to work with justice-involved persons (CSAT, 2005; Mueser et al., 2003). Ultimately, the challenge for the client is to move beyond coercion as the external motivating factor for change to internal and voluntary motivations.

The modified therapeutic community (MTC) is an integrated residential treatment program with a specific focus on public safety outcomes that can be adapted to treat persons with COD and include a focus on criminogenic needs (Sacks et al., 2003). It is a derivative of the therapeutic community and has demonstrated lower rates of reincarceration and a reduction in criminal activity in participants (Sacks et al., 2012). Successful transition from residential settings to less intensive levels of care is key to long-term success, and adding MTC components to outpatient treatment can improve criminal justice outcomes (Sacks et al., 2008).

The Integrated Dual Disorder Treatment (IDDT) model combines program components and treatment elements to assure that persons with COD receive integrated treatment for substance abuse and mental illness from the same team of providers (SAMHSA, 2003). Application of this approach has been associated with reductions in arrest (Mangrum et al., 2006).

Assertive Community Treatment (ACT) and its adaptations for justice-involved persons has been previously reviewed (Morrissey & Piper, 2005; Morrissey, 2013). As an evidence-based program, ACT is a blend of program components and treatment elements of which several are specific to COD. To date, the impact of ACT interventions on criminal justice outcomes has been mixed. Modifications to ACT to incorporate forensic expertise have shown promise.

## **COD Across the Continuum of Criminal Justice Settings**

can improve post-release engagement in services (Lehman Held, Brown, Frost, Hickey, & Buck, 2012). For people with probation or parole terms, community supervision affords an opportunity to engage and monitor the person while coordinating with community providers.

## **Future Directions**

---

The overrepresentation of persons with COD in the justice system is not a new phenomenon, and despite innovative community efforts to divert persons with mental and/or addictive disorders from jail and prison, it remains a significant issue of concern to policymakers, providers, and families. Persons with COD are a heterogeneous group with complex strengths, needs, and risks.

When individuals are taken into custody, they must be routinely screened and assessed for COD (Peters et. al., 2008) and other factors associated with their risk of recidivism (Osher et. al. 2012). Understanding the extent to which persons with COD have an increased risk of committing new criminal offenses or violating conditions of probation or parole is important for the criminal justice and behavioral health fields. In particular, such information may serve as the basis for the development of targeted interventions to reduce the rate of recidivism among persons with COD.

Law enforcement, court, and corrections personnel must receive training in the application of effective EBPs to respond to the needs of persons with COD. In parallel, behavioral health staffs require training on correctional EBPs and the interventions that are associated with reducing the risk of recidivism while promoting recovery. Access to integrated care for persons with COD has been associated with these desired outcomes. Unfortunately these EBPs are not suf

- James, D.J. & Glaze, L.E. (2006). *Mental health problems of prison and jail inmates [Special Report]*. Bureau of Justice Statistics (Publication no. NCJ213600), Washington, DC; US Department of Justice.
- Lehman Held, M., Brown, C. A., Frost, L. E., Hickey, J. S., & Buck, D. S. (2012). Integrated primary and behavioral health care in patient-centered medical homes for jail releases with mental illness. *Criminal Justice and Behavior*. Advance online publication. doi: 10.1177/0093854811433709
- Mangrum, L.F., Spence, R.T., & Lopez, M. (2006). Integrated versus parallel treatment of co-occurring psychiatric and substance use disorders. *Journal of Substance Abuse Treatment* 30, 79-84.
- Michaels, D., Zoloth, S., Alcabes, P., Braslow, C., & Safyer, S. (1992). Homelessness and indicators of mental illness among inmates in New York City's correctional system. *Hospital and Community Psychiatry*, 43(2):150-155.
- Morrissey, J. P. (2013). *Evidence update: Forensic Assertive Community Treatment*. Delmar, NY: SAMHSA's GAINS Center for Behavioral Health and Justice Transformation.
- Morrissey, J. & Piper, P. (2005). *Extending ACT to criminal justice settings: Applications, evidence, and options*. Delmar, NY: National GAINS Center.
- Mueser, K.T., Noordsy, D.L., Drake, R.E., & Fox, L. (2003). *Integrated treatment for dual disorders: A guide to effective practice*. New York: Guilford Press.
- Osher, F.C., D'Amora, D.A., Plotkin, M., Jarrett, N., & Eggleston, A. (2012). Adults with behavioral health needs under correctional supervision: A shared framework for reducing recidivism and promoting recovery. New York: Council of State Governments Justice Center.
- Osher F, Steadman H.J., & Barr, H. (2003). A best practice approach to community reentry from jails for inmates with co-occurring disorders: the APIC model. *Crime and Delinquency*, 49, 79-96.
- Peters, R.H., Bartoi, M.G., & Sherman, P.B. (2008). *Screening and assessment of co-occurring disorders in the justice system*. Delmar, NY: CMHS National GAINS Center.
- Peters, R.H., Kremling, J., Bekman, N.M., & Caudy, M.S. (2012). Co-Occurring disorders in treatment-based courts: Results of a national survey. *Behavioral Sciences and the Law*, 60, 800 – 812.
- Reuland, M. & Cheney, J. (2005). *Enhancing success of police-based diversion programs for people with mental illness*. Delmar, New York: GAINS Technical Assistance and Policy Analysis Center for Jail Diversion.
- Sacks, S., Sacks, J., & Stommel, J. (2003). Modified TC for MICA inmates in correctional setting: A program description. *Corrections Today*, 10, 90 – 99.
- Sacks, S., McKendrick, K., Sacks, J., Banks, S., & Harle, M. (2008). Enhanced outpatient treatment for co-occurring disorders: Main outcomes. *Journal of Substance Abuse Treatment*, 34, 48-60.
- Sacks, S., Chaple, M., Sacks, J., McKendrick, K., & Cleland, C.M. (2012). Randomized trial of a reentry modified therapeutic community for offenders with co-occurring disorders: Crime outcomes. *Journal of Substance Abuse Treatment*, 42, 247 -259.
- Steadman, H. J, Peters, R. H., Carpenter, C., Mueser, K. T., et al. (2013). *Six steps to improve your drug court outcomes for adults with co-occurring disorders*. Drug Court Practitioner Fact Sheet, 8(1), Alexandria, VA: National Drug Court Institute & SAMHSA's GAINS Center for Behavioral Health and Justice Transformation.
- Steadman, H.J. & Veysey, B. (1997). Providing services for jail inmates with mental disorders, National Institute of Justice: *Research in Brief*, January.
- Substance Abuse and Mental Health Services Administration. (2010). *Results from the 2009 National Survey on Drug Use and Health* (Center for Behavioral Health Statistics and Quality, NSDUH Series H-39, HHS Publication No. SMA 10-4609). Rockville, MD.
- Watkins, K. E., Burnam, A., Kung, F.-Y., & Paddock, S. (2001). A national survey of care for persons with co-occurring mental and substance use disorders. *Psychiatric Services*, 52, 1062-1068.
- Wilson, A.B., Draine, J., Hadley, T., Mettraux, S., & Evans, A. (2011). Examining the impact of mental illness and substance use on recidivism in a county jail. *International Journal of Law and Psychiatry*, 34, 264-268.